

PRODUCT CATALOGUE 2026

The total fixing solutions



**Anchors · Self Drilling Screws · Drywall & Wood Screws · Blind Rivets
Rivet Nuts · Self-Clinching & Weld Studs · Nuts & Lifting Hardware**

75 products · 7 families · Since 1981 · Mumbai

ANCHOR FASTENERS

Wedge, sleeve, tam, pin-type, drop-in and frame-fixing anchors for concrete, brick and block.



SS202 Stainless Steel Tam Anchors, 3 inch

Size: **3inch**
Finish: **Polished**
Grade: **SS202**
Material: **Stainless Steel**

MOQ: 5000 Piece



Framing Anchor (Type A)

Anchor Type: **Frame Fixing**
Material: **Galvanized Steel**
Thickness: **2 mm**
Length: **100 mm**

MOQ: 1000 Piece



MS Sleeve Anchors

Anchor Diameter: **6 mm**
Anchor Length: **60 mm**
Material Grade: **Mild Steel**
Finish: **Zinc Plated**

MOQ: 1000 Piece



Nylon Frame Fixing Anchor

Plug Diameter: **6 mm**
Plug Type: **Frame Plug**
Base Material: **Concrete, brick, bl**
Nylon Grade: **Nylon 66**

MOQ: 1000 Piece



Mild Steel Sleeve Anchor, 3.5 inch

Material: **Mild Steel**
Length: **89 mm (3.5 inch)**
Finish: **Yellow zinc**

MOQ: 200 Piece



Mechanical Wedge Anchor Fasteners

Product Type: **Wedge Anchor**
Size (mm): **M10 x 100 mm**
Material: **Mild Steel (MS)**
Finish: **Zinc Plated**

MOQ: 500 Piece



SS202 Stainless Steel Tam Anchors

Material: **Stainless Steel**
Finish: **Polished**
Application: **Stone, Brick, Block**
Head Type: **Hex Head**

MOQ: 1000 Piece

Mild Steel Rawl Bolt, 3.2 inch

Material: **Mild Steel (MS)**
Surface Finish: **Polished**
Shape: **Hexagon Head**
Product Length: **3.2 inch (≈ 80 mm)**

MOQ: 100 Piece



Mild Steel Hook Eye Anchor, 2 inch

Material: **Mild Steel**
Surface Finish: **Polished**
Diameter: **6.3 mm**
Length: **2 inch**

MOQ: 100 Piece



ANCHOR FASTENERS (contd.)

Wedge, sleeve, tam, pin-type, drop-in and frame-fixing anchors for concrete, brick and block.



Heavy-Duty Frame Fixing Anchor (HRD-C Type)

Anchor Type: **Frame Fixing**
Finish: **Zinc Plated**
Application: **Door Frame, Window**
Hole Diameter: **8 mm**

MOQ: 10000 Piece



60mm Pentagon Nylon Anchor Drywall Screws

Material: **Stainless Steel**
Screw Length: **60 mm**
Head Type: **Star Type (X)**
Usage/Application: **Wall**

MOQ: 100 Piece



Self Drilling Frame Fixing Anchors

Diameter: **8 mm**
Length: **80 mm**
Application: **Steel Frame, Wooden**
Tip Type: **Self Drilling**

MOQ: 1000 Piece



Drop In Anchor

Diameter: **10 mm**
Material: **Mild Steel**
Length: **30 mm**
Finish: **Zinc Plated**

MOQ: 1000 Piece



Pin Type Anchor Fastener

Bolt Size: **M6**
Bolt Length: **50 mm**
Material: **Mild Steel**
Coating: **Zinc Plated**

MOQ: 1000 Piece

SELF DRILLING SCREWS

Hex, CSK Phillips, wing and double-thread SDS with EPDM washers and Ruspert finish for roofing and cladding.



HP Hex Self Drilling Screw

Head Type: **Hex Head**
Material: **Carbon Steel**
Finish: **Zinc Plated**
Size: **4.8 / 5.5 / 6.3 mm**

MOQ: 1000 Piece



CSK Phillips Self Drilling Screws

Diameter: **5.5 mm (12g)**
Length: **25 mm**
Head Type: **CSK Phillips**
Material: **Stainless Steel SS4**



SS CSK Phillips Self Drilling Screw

Diameter: **4.8 mm (10g)**
Length: **25 mm**
Head Type: **CSK**
Material: **Stainless Steel SS4**

MOQ: 500 Piece



CSK Phillips Head Self Drilling Screws (EPDM)

Diameter: **4mm**
Length: **25 mm**
Head Type: **CSK**
Material: **Carbon Steel**

MOQ: 1000 Piece



Ruspert-Coated Self Drilling Screws

Diameter: **5.5 mm (12g)**
Length: **25 mm**
Head Type: **Hex Head**
Material: **Carbon Steel**

MOQ: 1000 Piece



Self Drilling Screws With Bonded Washer

Diameter: **5.5 mm (12g)**
Length: **50 mm**
Head Type: **Hex Head**
Material: **Carbon Steel**

MOQ: 1000 Piece



Self Drilling Screw for Fibre Cement Sheet

Diameter: **6.3 mm (14g)**
Length: **120 mm**
Head Type: **Hex Head**
Material: **Carbon Steel**

MOQ: 1000 Piece



P.A.T. Self Drilling Screws

Diameter: **5.5 mm (12g)**
Length: **25 mm**
Head Type: **Hex Head**
Material: **Carbon Steel**

MOQ: 1000 Piece



Hex Self Drilling Screw with EPDM Washer

Diameter: **5.5 mm (12g)**
Length: **25 mm**
Head Type: **Hex Head**
Material: **Carbon Steel**

MOQ: 1000 Piece



SELF DRILLING SCREWS (contd.)

Hex, CSK Phillips, wing and double-thread SDS with EPDM washers and Ruspert finish for roofing and cladding.



Wing Tip Self Drilling Screws

Diameter: 4.8 mm (10g)
Length: 50 mm
Head Type: CSK
Material: Carbon Steel

MOQ: 1000 Piece



Fiberglass Self Drilling Screw

Diameter: 6.3 mm (14g)
Length: 100 mm
Head Type: Hex Head
Finish: Ruspert

MOQ: 1000 Piece



Stainless Steel Self Drilling Screws, 3 inch

Material: Stainless Steel
Usage/Application: Construction
Head Type: Round-head
Plating: Silver

MOQ: 100 Piece



Mild Steel HP Hex Screws

Material: Mild Steel
Finish: Polished
Head Type: Hex

MOQ: 5000 Piece



Self Drilling Screw, 2.5 inch (Silver)

Usage/Application: Industrial
Plating: Silver
Material: Carbon Steel

MOQ: 100 Piece

6 mm Self Drilling Screws, 2.5 inch

Usage/Application: Industrial
Head Type: Round-head
Plating: Silver
Diameter: 6 mm

MOQ: 50 Piece

Self Drilling Screws Double Thread

Thread Type: Double Start
Application: Wood to Wall, Drywa
Diameter: 4.5 mm
Head Type: Hex Head

MOQ: 1000 Piece

Double Thread Self Drilling Screws, Ruspert Finish

Drive Type: Hex Drive
Screw Type: Hex Drilling
Head Type: Hex Head
Material: Carbon Steel

MOQ: 1000 Piece

Roofing Screw

Application: Polycarbonate, Meta
Diameter: 4.2 mm
Washer Type: EPDM Washer
Tip Type: Self Drilling

MOQ: 10000 Piece



DRYWALL & WOOD SCREWS

Bugle-head drywall, gypsum board, chipboard and hex lag screws for interiors, partitions and timber.



Black Drywall Screw

Length: 25 mm (1 inch)
Thread Type: Fine Thread
Gauge: #6 (3.5 mm)
Finish/Coating: Black Phosphate

MOQ: 100 Box



Black Drywall Drilling Screw, 4 mm

Diameter: 4 mm
Finish: Black phosphate
Head Type: Bugle Head

MOQ: 24 Piece



Black Gypsum Board Drywall Screw, 3 inch

Material: Mild Steel
Length: 3 inch (75 mm)
Finish: Black phosphate

MOQ: 150 Piece



Gypsum Board Screw

Length: 25 mm (1 inch)
Thread Type: Fine Thread
Finish/Coating: Zinc Plated
Head Type: Pan Head



Hex Lag Screw

Diameter: M8
Length: 20 mm
Material: Alloy Steel
Head Type: Hex Head

MOQ: 1000 Piece



BLIND RIVETS

Open-end, peel-type, tri-fold, large-flange and stainless blind rivets for sheet metal and fabrication.



Mild Steel Blind Rivets, 10 mm Long

Material: **Mild Steel**
Rivet Diameter: **3.2 / 4.0 / 4.8 mm**
Rivet Length: **10 mm**
Head Type: **Dome Head**

MOQ: 230 Piece



Steel Blind Rivet

Rivet Diameter: **4 mm**
Grip Range: **3-6 mm**
Head Type: **Dome Head**
Rivet Length: **8 mm**

MOQ: 1000 Piece



Tri-Fold Bulb Type Blind Rivets

Head Type: **Dome Head**
Grip Range: **10-12 mm**
Finish: **Natural**
Application: **Sheet Metal, Constr**

MOQ: 1000 Piece



Peeled Type Blind Rivet

Head Type: **Dome Head**
Grip Range: **3-6 mm**
Finish: **Natural (aluminium)**
Application: **Construction, Autom**

MOQ: 1000 Piece



Stainless Steel Blind Rivets, 50 mm

Rivet Length: **50 mm**
Rivet Diameter: **6 mm**
Material: **Stainless Steel**
Shape: **Round**

MOQ: 1000 Piece



Aluminium Blind Rivets, 5 mm

Diameter: **5 mm**
Material: **Aluminium**
Shape: **Round**
Finish: **Natural (aluminium)**

MOQ: 200 Piece



Tri Fold Blind Rivet

Rivet Diameter: **4 mm**
Body Material: **Aluminium**
Head Type: **Dome Head**
Grip Range: **10-12 mm**

MOQ: 1000 Piece



Large Flange Head Blind Rivets

Rivet Diameter: **4 mm**
Body Material: **Aluminium**
Flange Type: **Large Flange**
Grip Range: **8-10 mm**

MOQ: 1000 Piece



Pentagon Blind Rivets

Rivet Diameter: **4.8 mm**
Head Type: **Dome Head**
Grip Range: **3-6 mm**
Rivet Length: **14 mm**

MOQ: 1000 Piece



BLIND RIVETS (contd.)

Open-end, peel-type, tri-fold, large-flange and stainless blind rivets for sheet metal and fabrication.



Aluminium Pop Rivet

Type: **Pop**
Head Shape: **Domed**
Material: **Aluminium**
Size: **3.0 mm**

MOQ: 1000 Piece



RIVET NUTS & INSERT NUTS

Round, hex and semi-hex body rivet nuts, insert nuts and tee nuts for threads in thin sheet.



Steel Blind Rivet Nuts

Thread Size: **M6**
Body Material: **Mild Steel**
Head Type: **Countersunk**
Grip Range: **4-8 mm**

MOQ: 1000 Piece



Rivet Insert Nut

Thread Size: **M5**
Body Material: **Mild Steel**
Head Type: **Flat Head**
Grip Range: **6-10 mm**

MOQ: 1000 Piece



Flat Head Inner Hex Body Rivet Nut

Thread Size: **M5**
Body Material: **Mild Steel**
Grip Range: **6-10 mm**
Finish: **Zinc Plated**

MOQ: 1000 Piece



Semi Hex Rivet Nut

Thread Size: **M5**
Body Material: **Mild Steel**
Head Type: **Flat Head**
Grip Range: **6-10 mm**

MOQ: 1000 Piece

Blind Rivet Nuts

Thread Size: **M5**
Body Material: **Mild Steel**
Head Type: **Countersunk**
Grip Range: **1-5 mm**

MOQ: 1000 Piece



Mild Steel Tee Nuts

T-Nut Type: **Three Prong T-Nut**
Thread Size: **M5**
Material: **Mild Steel**
Finish: **Zinc Plated**

MOQ: 1000 Piece



Mild Steel Tee Nuts (Prong Type)

Material: **Mild Steel**
Type: **Tee Nuts**

MOQ: 1000 Piece



Mild Steel Rivet Nuts

Material: **Mild Steel**
Type: **Rivet Nuts**

MOQ: 200 Piece



Mild Steel Round Body Rivet Nuts

Head Type: **Round**
Finishing: **Polished**
Usage/Application: **To attach secondary**
Head Diameter: **15mm**

MOQ: 1000 Piece



RIVET NUTS & INSERT NUTS (contd.)

Round, hex and semi-hex body rivet nuts, insert nuts and tee nuts for threads in thin sheet.



Stainless Steel Rivet Nut, Round Head

Diameter: **12 mm**
Head Type: **Round Head**
Material: **Stainless Steel**
Color: **Silver**

MOQ: 1000 Piece



Stainless Steel Rivet Nut


Nut Type: **Round Body**
Thread Size: **M4**
Grip Range: **1-4 mm**
Material Grade: **SS 316**

MOQ: 1000 Piece



SELF-CLINCHING & WELD STUDS

Press-fit clinch nuts, standoffs, studs and copper-plated weld studs for panels and enclosures.



Self Clinching Pin (High Head)

Fastener Type: **Self Clinching Pin**
Thread Size: **M5**
Sheet Thickness: **0.8 mm**
Material: **Stainless Steel**

MOQ: 1000 Piece



Copper Plated Welding Studs

Stud Dia: **6 mm**
Stud Length: **40 mm**
Weld Process: **Drawn Arc**
Stud Head: **Flanged**

MOQ: 1000 Piece



Self Clinching Stud (Flush Head)

Fastener Type: **Self Clinching Stud**
Thread Size: **M6**
Sheet Thickness: **2.5 mm**
Material: **Stainless Steel**

MOQ: 1000 Piece



Self Clinching Nut (Low Head)

Fastener Type: **Self Clinching Nut**
Thread Size: **M5**
Sheet Thickness: **3 mm**
Material: **Carbon Steel**

MOQ: 1000 Piece



Self Clinching Blind Nut

Fastener Type: **Self Clinching Nut**
Thread Size: **M5**
Sheet Thickness: **3 mm**
Material: **Carbon Steel**

MOQ: 1000 Piece



NUTS & LIFTING HARDWARE

Nylock, hex, flange, dome, wing and cage nuts, plus stainless eye nuts and eye bolts.



Stainless Steel Hex Nylock Nuts

Type: **Hex**
Finish: **Polished**
Material: **Stainless Steel**
Thread Size: **M3 – M30**

MOQ: 200 Piece



Stainless Steel Eye Nut

Material: **Stainless Steel**
Finish: **Polished**
Head Style: **Round**
Diameter: **M8**

MOQ: 1000 Piece



Collar Eye Nuts (DIN 582)

Eye Nut Type: **Collar Eye Nut**
Thread Size: **M10**
Material: **Carbon Steel**
Finish: **Galvanized**

MOQ: 1000 Piece



Stainless Steel Hex Flange Nut (SS304)

Material: **Stainless Steel**
Material Grade: **SS304**
Type: **Hex Flange Nut**
Thread Size: **M5 – M30**

MOQ: 200 Piece



Stainless Steel Wing Nut

Material: **Stainless steel**
Type: **Wing Nut**
Material Grade: **SS 202**

MOQ: 100 Piece



Stainless Steel Hex Nut

Material Grade: **SS202**
Material: **Stainless Steel**
Type: **Hex Nut**
Thread Size: **M3 – M36**

MOQ: 200 Piece



SS Nylock Nut

Thread Size: **M6**
Material Grade: **304**
Size: **10 mm A/F**
Thickness: **6-8 mm**

MOQ: 500 Box

Stainless Steel Dome Nut

Material: **Stainless Steel**
Material Grade: **SS304**
Standard: **ISO**
Finish: **Polished**

MOQ: 1000 Piece



Stainless Steel Eye Bolt, 3 inch

Diameter: **15 mm**
Size: **3inch**
Material Grade: **SS304**
Shape: **Round**

MOQ: 1000 Piece



NUTS & LIFTING HARDWARE (contd.)

Nylock, hex, flange, dome, wing and cage nuts, plus stainless eye nuts and eye bolts.



Stainless Steel Square Cage Nuts

Material: **Stainless Steel**
Shape: **Square**
Thread Size: **M5 / M6**

MOQ: 1000 Piece

Stainless Steel Flange Nut

Thread Size: **M8**
Material Grade: **SS 316**
Flange Type: **Plain**
Thread Type: **Metric**

MOQ: 1000 Piece

SS Stainless Steel Dome Nuts (DIN 1587)

Thread Size: **M6**
Material Grade: **SS 316**
Standard: **DIN 1587**
Thread Type: **Metric**

MOQ: 1000 Piece



Get a quotation

- Share product, size, finish and quantity on WhatsApp or email.
- Our desk confirms price and stock — usually the same day.
- Supplies are billed with GST invoice and dispatched across India.
- Other sizes, lengths and finishes are available on request.

Call +91 22 6228 7777 (100 lines)

Email pentagonfasteners1@gmail.com

Visit 83, Narayan Dhuru Street, First Floor, Mumbai 400 003

Web www.pentagonfasteners.com

Specifications are typical values for guidance and may change without notice. Images are illustrative.

